



## POLYMER TYPE

---

Branched, solventless HDI based homopolymer, containing free isocyanic groups crosslinkable at room temperature.

The REGEL TH 20 B is a crosslinking isocyanic agent at low viscosity for bonding systems and polymeric membranes acrylic polyurethane, recommended for textile finishing and bonding, in metalworking and on PVC surfaces.

## REGEL TH 20 B

---

✓ Aspect	white emulsion
✓ % NV	100 ± 0,5
✓ Solvent/plasticizer	none
✓ Viscosity (23 °C m PA* )	1000-2500
✓ Color	milky white
✓ pH	none

## PROPERTIES AND APPLICATIONS

---

The REGEL TH 20 B is a product recommended for the crosslinking of Ns adhesives such as Forzal D 64 and D 63 (Forzal Z 14 Forzal Z 16), in vulcanized rubber bonding. It is highly used in the crosslinking of fluor emulsions.

REGEL TH 20 B can also be used in the coating sector, used as an only product or in combination with a hydroxyl acrylic or a carboxylate anionic acrylic polyurethane or water-soluble polyesters Oh terminated. If used for crosslinking primer bi-compound systems for metal it should be used at a room temperature.



## STORAGE AND WARRANTY

---

Stored in its original packaging and sealed REGEL TH 20 B is guaranteed for 6 months after manufacture if stored in a dry place and away for direct light. Higher temperatures will result in a viscosity increase and even instability of the product. Storage temperature should be between +5/+35 °C.