



PRODUCT INFORMATION

ADDSIL®

AD 1395

Anti Blocking Agent

DESCRIPTION

ADDSIL® AD 1395 high performance amorphous silica for anti blocking agent.

APPLICATIONS

Industrial of plastic resin: PP, PE, PVC

SPECIAL FEATURES

- Excellent anti blocking effect
- Outstanding flow behavior
- High transparency in film form
- Good flexibility

TECHNICAL DATAS

Particle Size, Mean value malvern	6.12 µm
Ph	6.98
Silica content	99.2 wt. %
Moisture content	2.0 wt. %
Appearance	White Powder
Oil Absorption	110 ml / 100 g

ADDSIL SILICAS are free from crystalline structures according certified No. 228/IPK-4/KU-RM/2003 and free from heavy metal certified No. 98/001789/07/2003 from Research Center for Metallurgy LIPI

PACKING

ADDSIL is supplied in paper bags.

1 bag = 10 kg

STORAGE

ADDSIL should be stored in a dry & well ventilated environment away from chemical vapors to maintain its properties.

Opened bag should be kept tightly released to prevent contamination of the product.

All information, whether written or verbal regarding our products, their applications and uses, is given in good faith and based upon tests made by us, results of our research work and practical experience. Whilst we guarantee the constant quality of our products, we cannot be responsible for the results obtained in their use, since the conditions of use and working methods are beyond our control.